


Optimal location range for heat pump


On the external ABS cover of the pool, the heat pump and/or external machine room outlet are not pre-drilled. The holes are designed for the actual external unit attachment must be drilled in the position corresponding to the unit attachment.



Description: Information Beach Club			Rev: A	Projection	Tolerance DIN ISO 16742 Tc6	 Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:	Weight:	M: mm/g/s	Módosítva: 2025. 04. 15.	Status:	
Drawer: Sipos Lajos			DOCUMENT HISTORY			Art. No.: WU00053 WU00054
Checked by:		B	2025. 04. 15.	Semicabinet, insulation change	S.L.	
Approved by:		A	2025. 03. 18.	Új rajz	S.L.	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap			Rev	Date	Change descr.	
			A4	M 1:100	page 8 / 14	

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Optimum water level and water level dimensions



Description: Information Beach Club		Rev: A	Projection	Tolerance DIN ISO 16742 Tc6	 Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:	Weight:	M: mm/g/s	Módosítva: 2025. 04. 15.	
Drawer: Sipos Lajos		DOCUMENT HISTORY			Status:
Checked by:		B	2025. 04. 15.	Semicabinet, insulation change	S.L.
Approved by:		A	2025. 03. 18.	Új rajz	S.L.
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap		Rev	Date	Change descr.	Name
		A4	M 1:100	page 9 / 14	

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa


Swim spa cover

Standard equipment 5 mm ABS cover all round (side-down)


Scandinavian insulation (optional)

Freestanding placement


If you do not want the recessed design, the product is equipped with a 5 mm ABS cover, which is optionally with Scandinavian insulation. The cover cannot be attached to the swim spa, but can be wrapped around with any other external cover.




Scandinavian insulation (optional)



Swim spa insulation (optional) layering



Below the swim spa edge



Description: Information Beach Club				Rev: A	Projection:	Tolerance: DIN ISO 16742 Tc6	 Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:	Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.		
Drawer: Sipos Lajos				DOCUMENT HISTORY			Status:
Checked by:			B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt
Approved by:			A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap				Rev	Date	Change descr.	Name
							A4 M 1:100 page 10 / 14

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Swim spa cover Semicabinet

Semicabinet with Horizont cover

Freestanding placement

The cover cannot be attached to the swim spa, but can be wrapped around with any other external cover.

Wibecorner lighting corner element

Cover Horizont

5 mm ABS cover

5 mm ABS cover

Wibecorner lighting corner element

5 mm ABS cover

5 mm ABS cover bottom

Below the swim spa edge

Horizont cover



Swim spa insulation layering

5 mm ABS cover

Scandinavian insulation

5 mm ABS cover bottom


Scandinavian insulation (bottom)



Description: Information Beach Club				Rev: A	Projection $\leftarrow \oplus$	Tolerance DIN ISO 16742 Tc6	 Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:	Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.		
Drawer: Sipos Lajos				DOCUMENT HISTORY			Status:
Checked by:		B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt	
Approved by:		A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap				Rev	Date	Change descr.	Name
				A4	M 1:100	page 11 / 14	

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Craning the swim spa



Spring must not touch the edge of the pool

Clearance required when lifting with a sling

Spring must not touch the edge of the pool

Clearance required when lifting with a sling

When craning the swim spa, the length of the strap should be chosen so that the strap under the flange the flange cannot be touched in the event of a the strap. Otherwise the pool damage to the swim spa.

Lifting the pool is only **certified, lifting frame of adequate lifting capacity or lifting beams** which prevent movement of the straps.

Description: Information Beach Club			Rev: A	Projection	Tolerance DIN ISO 16742 Tc6	 Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:	Weight:	M: mm/g/s	Módosítva: 2025. 04. 15.	Status:	
Drawer: Sipos Lajos			DOCUMENT HISTORY			Art. No.: WU00053 WU00054
Checked by:		B	2025. 04. 15.	Semicabinet, insulation change	S.L.	
Approved by:		A	2025. 03. 18.	Új rajz	S.L.	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap			Rev	Date	Change descr.	
			A4	M 1:100	page 12 / 14	


This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa

Machine shaft location (sold separately)



Machine shaft (accessories and machine housing can be purchased separately):

1. WE00219 Mechanical shaft for pool
2. ABE0114 Sand filter tank S650
3. ABE 0130 Sand filter tank S450
4. ACM0707 Chemical dispenser - CL with probe

Optimal location range for a machine shaft



Only the ABE0130 Sand Filter Tank S450 size can be placed in the pool's own machine shaft.



On the external ABS cover of the pool, the heat pump and/or external machine room outlet are not pre-drilled. The holes are designed for the actual external unit attachment must be drilled in the position corresponding to the unit attachment.

Only the ABE0130 Sand filter tank size S450 can be installed in the pool's own machine shaft. **It is forbidden to place a chemical dispenser in the pool's own machine shaft!**


ABE0114 Sand filter tank size S650 and ACM0707 Chemical dispenser (or any other chemical dispenser purchased from Wellis) may only be placed in a separate machine shaft from the pool.

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 T66	 Wellis Magyarország Zrt.			
Created: 2025. 03. 14.	Material:	Weight:		M: mm/g/s	Módosítva: 2025. 04. 15.					
Drawer: Sipos Lajos				DOCUMENT HISTORY			Status:			
Checked by:		B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt				
Approved by:		A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054				
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap				Rev	Date	Change descr.	Name	A4	M 1:20	page 13 / 14

Ez a dokumentum a WU00053 Beach Club Deluxe és WU00054 Beach Club Prémium medencékre vonatkozik.

Swim spa cover information

[Image for illustration only](#)



Swim Spa Safety Warning!

WARNING: DO NOT STEP OR SIT ON THE SWIM SPA COVER

This cover is designed exclusively for insulation and heat retention—it does NOT support weight.

- ⊘ Never allow children or pets to climb, sit, or walk on the cover.
- ⊘ The cover is not a safety barrier—it will not prevent accidental entry into the water.
- ⊘ Do not place heavy objects on the cover to avoid damage or collapse.

For safety:

- ✓ Always supervise children around the swim spa.
- ✓ Keep the cover securely fastened when not in use.
- ✓ Use approved safety measures like a locking cover or additional barriers.

Failure to follow these safety precautions may result in injury or damage to the cover.

Always cover the back of the pool when in use.

The pool without water should not be exposed to direct

direct sunlight.

Stay safe and enjoy your Wellis Swim Spa responsibly!

Description: Information Beach Club				Rev: A	Projection	Tolerance DIN ISO 16742 Tc6	 Wellis Magyarország Zrt.
Created: 2025. 03. 14.	Material:	Weight:		M: mm/g/s	Módosítás: 2025. 04. 15.		
Drawer: Sipos Lajos			DOCUMENT HISTORY			Status:	
Checked by:		B	2025. 04. 15.	Semicabinet, insulation change	S.L.	DABAS-Módosítás alatt	
Approved by:		A	2025. 03. 18.	Új rajz	S.L.	Art. No.: WU00053 WU00054	
Drawing number: 6000x2350x1470 Beach Club úszómedence információs lap				Rev	Date	Change descr.	Name
				A4	M 1:100	page 14 / 14	

This document is for the WU00053 Beach Club Deluxe and WU00054 Beach Club Premium swim spa